Table VIII—continued.

Group V	Reason given for C	n and	of Cases.		nber of eaths.						
	Parity		Number of Cases.	Infants.	Mothers.	Cause of Deaths of Mothers.					
	Eclampsia—										
	1 para Not stated	• •		5	$\frac{2}{1}$	1	Eclampsia. Eclampsia.				
	Total			6	3	2					
VL	Pre-eclamptic toxa	mia			•		-				
	1 para	• •		7	6	1	Toxemia complicated by placenta prævia and post-partum hæmorr-				
	2 para			4	1		hage.				
	3 para			1		۱					
	12 para	. ,		1							
	Total			13	7	1					
VII	Other conditions— Heart-disease (co	al)									
	2 para Tuberculosis	• •		1							
Í	1 para and 9 p	ara		2		1	Seven-month pregnancy and advance tuberculosis,				
	Subarachnoid ha	age				undercutosis.					
	5 para			1							
	Acute mania—			1							
	7 para . Only reason giver	: :: "Pr	evious	1.	1	1	Six-month pregnancy.				
	delivery by Section "										
j	2 para			3		, ,					
	Total			8	1	2					
	Total cases			203	37	13					

## PART H.—MAORI.

The following table gives the Maori maternal mortality rate on the same lines as Table VI for Europeans. The reason for giving these returns separately is that up to the present a large majority of the Maoris are delivered by Native methods, which must be regarded as extremely crude, and the conditions under which the confinements are conducted in Maori whares preclude any possibility of carrying out asepsis efficiently. Now that the maternity benefits under the Social Security Act are available it may be expected that much better results will be obtained owing to the fact that more Maoris will enter hospitals, the cost of which in the past was quite beyond their means.

Table IX.--Showing the Maori Maternal Mortality by Causes for the Nine Years 1930-39.

Cause of Death.	1930. 1931.		1932.		1933.		1934.		1935.		1936.		1937.		1938.		1939,			
oadst of Death,	No.	Rate.	No.	Rate.	No	Rate.	No.	Rate.	No	. Rate.	No	Rate.	No.	Rate.	No	Rate.	No.	Rate.	No	. Rate.
Puerperal sepsis following childbirth		i			1	1.82		2 · 37	1	1.01		2 · 15							1	0 · 73
Accidents of labour (hæmorr- hage, thrombosis, phleg- masia, e m b o l is m, and following childbirth not otherwise defined)	12	5 · 65	9	3 · 89	14	5.10	14	4 · 75	8	2.68	10	3 · 07	12	3 · 31	13	3 · 27	10	2.70	12	2.92
Toxæmia, albuminaria, and eclampsia		• •			1	0.36	1	0.34	ļ		1	0.30			1	0 · 25	2	0.54	2	0 · 49
Accidents of pregnancy		1 - 41				0 · 36				1 · 34						1 - 26	-	0 · 54		
Total maternal causes (excluding septic abortion)	20	9 · 42	16	6 - 92	21	7 · 65	22	7.46	15	5.03	21	6 - 46	18	4 · 96	23	5 · 79	20	5 · 41	19	4 · 13
Septic abortion	٠.						2	0.68	3	1.01	3	0.92	2	0.55	3	0 · 76			2	0 · 49