SECTION 3.--NON-NOTIFIABLE DISEASES.

MEASLES AND WHOOPING-COUGH.

These two diseases of childhood, which periodically assume epidemic proportions, were quiescent in 1922. Only 1 death from measles and 4 deaths from whooping-cough were reported, as compared with the 1921 totals of 47 and 49 respectively.

CANCER

The following table, taken from the "New Zealand Official Year-book," shows the cancer death-rate in the Dominion for the last ten years:—

Number of Persons who died from Cancer, the Proportion per 10,000 Persons living, and the Percentage of all Deaths, 1913-22.

	Year.					Total Deaths: All Causes.	Deaths from Cancer per 10,000 of Living Persons.	Deaths from Cancer per 100 of all Deaths.	
			***				1		
1913					856	10,119	8.01	8.46	
1914					904	10,148	8.29	8.91	
1915					900	9,965	8.19	9.03	
1916					909	10,596	8.27	8.50	
1917					957	10.528	8.71	9.09	
1918					936	16,364	8.49	5.72	
1919					1,031	10,808	9.07	9.54	
1920					1,029	12,109	8.72	8.50	
1921					1,044	10,682	8.53	9.77	
1922					1,066	10,977	8.52	9.71	

Fuller information upon this subject, together with a discussion upon the causes which have contributed to the rising cancer death-rate in the Dominion, will be found in an article by the Chief Compiler, Census and Statistics Office, in the Year-book for 1917.

VENEREAL DISEASES.

The venereal clinics established in the four main centres in 1919 continue to do good work. The following table shows in concise form the results of their operations during the past year:—

Venereal Clinics—Cases treated during Year ended 31st December, 1922.

	Auckland.		Wellington.		Christchurch.		Dunedin.		Total.	
Number of persons dealt with at or in connection with the out-patient clinic for the first time and found to be suffering from—Syphilis	M. 152 21 400	F. 53	M. 71 10 290	F. 15	M. 49 10 152	F. 23	M. 24 1 76	F. 12	M. 296 42 918	F. 103
No venereal disease	51	16	65	29	63	33	3		182	78
Total attendances of all persons at the outpatient clinic who were suffering from— Syphilis Soft sore Gonorrhœa No venereal disease	1,756 81 7,136 122	659 388 44	2,440 66 24,645 142	632 954 57	1,298 107 5,273 161	536 675 79	697 1 1,232 3	180	6,191 255 38,286 428	2,007 2,160 180
Aggregate number of "in-patient days" of treatment given to persons suffering from Syphilis		••	2,125 3,569	••	465 510	82 230	20 28	 59	2,610 4,107	82 289
Number of doses of salvarsan substitutes given	1,435	499	1,368	451	508	222	561	131	3,872	1,303
Examination of pathological material: Specimens from persons attending at treatment centre which were examined at this centre for—			,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		300				3,0,2	2,000
Detection of spirochætes Detection of gonococci Wasserman reaction Others	$\begin{bmatrix} 24 \\ 1,414 \\ 220 \\ 87 \end{bmatrix}$	202 49 4	19 907 507 34	244 165 1	36 326 423 101	144 220 55	120 111 	12 27	$\begin{bmatrix} 84 \\ 2,767 \\ 1,261 \\ 222 \end{bmatrix}$	602 461 60