CLINICAL DIVISION.—ATTENDANCE, OPERATIONS, ETC., FOR THE YEAR 1922-23.

Apia Hospital.		Tuasi	vi Hosp	oital.	
General attendance	5,093	Attendance			 1,509
European in-patients	196	Samoan in-patients			 231
Samoan in-patients	\dots 569	Samoan out-patients			 922
Chinese in-patients—		Operations			 45
Apia Hospital, 385; C. E. Hosp	pital,	_			
184	569				
Chinese out-patients—					
Apia Hospital, 3,379; C. E. Hosp	pital,				
	4,504	.*			
Operations*	144	et e			

^{*}Under the heading of "Operations" at the Apia Hospital are included under major operations, requiring a general ansisthetic. The records of minor operations are incomplete, but would average about 25 per month.

APIA HOSPITAL.—CLASSIFIED TABLE OF ADMISSIONS FOR THE YEAR 1922-23.

	1922.							1923.					
	April.	May.	June.	July.	Aug.	Sept.	Cct.	Nov.	Dec.	Jan.	Feb.	March.	Total.
Alimentary System— Gastro-enteritis Marasmus Catarrhal jaundice Hepatitis Intussusception Intestinal obstruction Hernia, inguinal Imperforate anus Cleft palate Ascites Respiratory System—	9 1 1 1 	4 1 	4 1 2 1	3	8 1 	5 1 1	3 2 1	1 1 	11 2 1	10 1 	12 1	3	73 10 2 2 1* 1 3† 2‡ 1 4§
Lobar pneumonia Bronchitis and Broncho - pneumonia	1 2	3	7 1	11	3	1	2	6 1	3 4	4 17	7 11	1 4	47 43
Pleurisy Phthisis Asthma Empyema Adenoids Circulatory system	••	1	2	1 2 	1 3 	1 1 1 	i	3 1	2 1	1 1 	2	1	8 14 2 1 1 4¶

^{*}Adult, three days' duration; resection of bowel; died. † One case strangulated; three day's duration; resection; died. † One case showed transposition of the viscera. § One case operated on for T.B; others probably T.B. | All of the dry type. ¶ Two cases of endocarditis, two doubtful; died soon after admission.

Causes of Deaths occurring in the European and Samoan Hospitals during the Year 1922–23.

Disease.				Deaths.	Remarks.				
Cancer of stomach				1	European.				
T7 .			• • •	î	European.				
TO1 (• •	• •		î	Half-caste Samoan; delivered at home; admitted in a critical				
I ladelloa prævia	• •	••	• •	-	condition; died of sepsis.				
Cardiae				1	European: arterio-selerosis and chronic nephritis.				
		• • •		i	Half-caste male: admitted unconscious; died same day.				
		• • •		ī	Half-caste child: died day of admission.				
Bacillary dysentery a				· 1	European child: developed lobar pneumonia when convalescing				
Dadinary dysomeory a	VIII IO OG	· Piiou			from dysentery.				
SAMOAN	Hospita	ΛĽ.			a distribution of the second o				
		·		2	•				
				5	·				
10				1					
FT1 .				2					
Ovarian cyst				1	Died from post-operative shock.				
Strangulated hernia				1	Three days' duration; resection of bowel; artificial anus.				
+				1	Three days' duration; resection of bowel; end-to-end anastomosis.				
- e -				2					
				1	Female; admitted in comatose condition.				
Phthisis pulmonalis				1	*				
Encephalitis lethargi	ca			1					
Arthritis, knee	••	••	• •	1	Secondary hæmorrhage; amputation; death from post-operative shock.				
Amputation of arm	• •	••	••	1	Compound-fracture dislocation; one week; forearm gangrenous; death from shock and sepsis.				
No diagnosis	••	••	••	6	Admitted in a moribund condition. In some instances there was evidence that Native medicine had been given. In at least one case this was admitted. The drug used appears to have caused rapid heart-failure, death ensuing in about twelve hours.				