

TABLE C.—NOTIFIABLE DISEASES IN NEW ZEALAND, 1929, SHOWING DISTRIBUTION BY AGE AND SEX.

Disease.	Under 1 Year.		1 to 5 Years.		5 to 10 Years.		10 to 15 Years.		15 to 20 Years.		20 to 25 Years.		25 to 30 Years.		30 to 35 Years.		35 to 40 Years.		40 to 45 Years.		45 to 50 Years.		50 to 55 Years.		55 to 60 Years.		60 to 65 Years.		65 to 70 Years.		70 to 75 Years.		75 to 80 Years.		80 Years and over.		Total Cases at all Ages.			
	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.	M.	F.		
Scarlet fever ..	24	16	539	512	718	1,007	301	502	125	236	70	205	38	136	41	103	32	76	27	46	18	33	4	16	3	7	1	8	1	1	1	2	1	1	1	1	1	1,941	2,907	
Diphtheria ..	5	7	260	213	322	348	81	111	26	55	33	66	18	35	12	26	10	15	9	9	3	8	1	2	3	7	2	1	8	1	1	1	1	1	1	1	1	783	904	
Enteric fever ..	..	..	12	8	28	19	27	14	18	13	26	17	13	9	8	6	13	6	6	6	4	3	9	2	3	2	2	1	1	1	1	1	1	1	1	1	1	172	106	
Tuberculosis ..	..	..	6	6	17	14	26	23	69	90	95	158	99	120	99	105	57	58	55	39	56	31	44	17	22	16	18	9	3	4	8	3	3	3	3	3	681	693		
Cerebro-spinal meningitis	1	3	4	2	4	2	1	2	1	1	2	2	1	..	1	..	1	..	..	..	1	..	1	..	1	..	..	..	..	..	..	..	..	..	..	..	16	12		
Polionyelitis ..	1	..	14	11	8	2	6	5	2	1	2	..	..	..	..	..	1	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	36	19			
Puerperal fever—	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	173	117		
Ordinary ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	173	117
Following abortion or miscarriage	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	173	117
Eclampsia ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	80	
Erysipelas ..	2	4	5	7	6	3	5	5	7	12	8	9	6	13	9	21	14	22	18	15	14	25	1	17	8	7	10	7	10	6	10	3	4	1	3	1	155	186		
Ophthalmia neonatorum	17	16	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	17	16	
Influenza ..	1	3	12	11	13	9	12	8	9	9	9	14	14	15	13	11	12	11	18	18	10	13	11	12	5	3	6	4	1	4	6	3	1	2	1	2	1	160	151	
Pneumonia ..	33	27	130	107	146	111	60	47	61	25	57	37	51	29	64	30	74	40	70	34	49	14	51	22	38	15	20	12	14	6	8	14	8	6	2	5	938	581		
Lethargic encephalitis	..	..	1	2	4	1	1	1	1	1	1	1	2	1	2	2	1	1	1	2	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	10	14		
Trachoma ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	11	4	
Hydatids ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	26	17	
Tetanus ..	2	1	4	..	6	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	21	21		
Dysentery ..	7	4	54	49	49	41	11	14	6	14	12	4	..	..	..	10	6	5	7	1	5	7	2	3	1	2	1	1	10	2	1	4	3	1	1	1	187	176		
Actinomycosis ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	3	1		
Food poisoning ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	5	9	
Chronic lead poisoning	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..
Leprosy ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
Beriberi ..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	..	
Totals ..	94	82	1,043	932	1,322	1,560	541	731	332	495	320	598	252	489	255	377	226	280	218	190	162	143	154	92	94	63	60	56	29	28	21	31	21	10	12	8	1	5,167	6,168	