

TABLE A.—NOTIFIABLE DISEASES IN NEW ZEALAND FOR YEAR ENDED 31st DECEMBER, 1938, SHOWING DISTRIBUTION BY MONTHS.

Month.	Scarlet Fever.	Diphtheria.	Enteric Fever.		Tuberculosis.	Cerebro - spinal Meningitis.	Polio-myelitis.		Influenza.	Typhoid.	Typhoid.	Paratyphoid.	Non-paratyphoid.	Puerperal Fever.		Relapsing.	Tetanus.	Hydatids.	Trachoma.	Ophthalmia Neonatorum.	Lethargic Encephalitis.	Food Poisoning.	Bacillary Dysentery.	Undulant Fever.	Actinomycosis.	Chronic Lead Poisoning.	Anthrax.	Totals, 1938.	Totals, 1937.	Totals, 1936.
			Typhoid.	Para-Typhoid.			Following Childbirth.	Following Abortion or Miscarriage.																						
January	72	32	3	1	76	2	8	1	..	22	12	24	3	4	1	4	..	4	1	..	..	2	2	2	1	..	266	302	266	
February	65	25	7	..	86	3	1	..	1	16	9	11	4	2	..	2	1	2	..	..	2	2	1	..	..	282	282	221		
March	83	44	7	..	82	3	3	..	..	31	13	18	10	3	..	3	3	3	..	2	3	25	3	1	..	336	361	292		
April	68	84	1	1	59	..	7	1	..	25	8	10	7	5	2	5	15	5	1	3	1	75	3	2	..	369	500	288		
May	77	100	7	1	91	..	1	..	3	46	5	12	2	4	1	4	..	4	1	3	1	35	3	2	..	403	444	317		
June	82	110	7	..	78	3	..	..	4	39	3	5	10	2	1	5	..	5	1	2	..	5	..	..	..	354	409	322		
July	72	74	5	..	94	1	..	..	7	74	11	14	5	7	..	5	..	10	..	3	..	10	3	..	..	342	366	394		
August	45	87	2	1	78	..	..	..	5	70	13	11	5	10	1	1	1	1	1	3	..	3	1	..	..	253	318	313		
September	23	56	..	..	73	1	..	..	10	60	14	10	4	4	1	..	4	1	3	4	..	3	1	..	..	279	333	281		
October	25	48	2	..	102	6	..	..	2	52	14	10	6	5	..	4	..	4	2	2	2	1	2	..	1	295	307	266		
November	25	56	2	2	116	2	..	..	4	49	10	8	6	5	..	4	..	4	2	2	2	1	2	..	..	291	246	364		
December	25	70	14	1	96	3	..	..	..	38	13	10	6	9	..	9	..	9	..	..	..	3	2	..	..	..	..	..		
Totals, 1938	662	786	57	7	1,031	24	20	2	36	522	125	138	74	10	46	6	21	7	23	161	21	3	8	3	8	..	3,790	..	..	
Totals, 1937	924	599	45	10	915	13	557	208	42	329	113	185	75	12	44	9	32	3	37	19	26	2	4	2	4	..	4,203	..	..	
Totals, 1936	1,152	513	58	3	934	12	87	87	77	291	95	121	97	15	49	6	20	7	32	62	15	1	4	1	4	1	..	3,652	..	..